Entering National Stage

Based on PCT/DK2005/000043

SUGHRUE MION, PLLC Ref: Q96046

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

Claim 1 (original): A protective sleeve for a disc-shaped recording medium having a

diameter, such as a compact disc, said sleeve having a top, a bottom, a left side, a right side, a

front and a back and comprising sheets of flexible material,

the sheets being arranged in at least four layers on top of each other to provide in

succession a back sheet, a first central sheet, a second central sheet and a front sheet, each sheet

having a top edge, an opposing bottom edge and two mutually opposed side edges connecting the

top edges and bottom edges, each respective sheet of said back sheet, first and second central

sheet and front sheet being attached to an adjacent sheet along at least two opposing edges of

said respective sheet so as to form a front pocket, a central pocket and a back pocket,

the central pocket being open at the top edges and being adapted to contain said disc-

shaped recording medium, wherein the bottom of the central pocket, determining the depth to

which the disc-shaped recording medium may be inserted in the central pocket, is defined at a

substantial distance from the bottom edge of at least one of the sheets.

Entering National Stage

Based on PCT/DK2005/000043

SUGHRUE MION, PLLC Ref: Q96046

Claim 2 (original): A protective sleeve according to claim 1, comprising at least four

sheets of flexible material wherein each of said respective sheets is attached to its adjacent

sheet(s) at the bottom edges and at at least one of the two side edges.

Claim 3 (original): A protective sleeve according to claim 1, wherein the bottom edge

of at least one of the first and second central sheet is situated between the bottom of the central

pocket and the bottom edges of the front sheet and the back sheet and above an area of mutual

attachment of sheets adjacent the bottom of the sleeve.

Claim 4 (original): A protective sleeve according to claim 1, wherein a single piece of

sheet material is folded to provide the first and the second central sheet said sheets being

connected by a fold constituting the bottom edges of said sheets.

Claim 5 (original): A protective sleeve according to claim 1, wherein a bottom part of

one of the first and the second central sheet is folded 180° towards and attached to the other of

said central sheets.

Claim 6 (currently amended): A protective sleeve according to any of claims

claim 1 to 5, wherein said distance is at least approximately 10 mm, preferably approximately 30

Preliminary Amendment **Entering National Stage** Based on PCT/DK2005/000043

SUGHRUE MION, PLLC Ref: Q96046

mm, and wherein the disc-shaped recording medium in its position inserted in the central pocket projects over the top edge of one of the two central sheets.

Claim 7 (currently amended): A protective sleeve according to any of claims claim 1 to 6, wherein the first central sheet at its top edge is provided with a flap for engaging the edge of the disc-shaped recording medium in its position inserted in the central pocket and the second central sheet is provided with a recess providing access to the disc-shaped recording medium in the central pocket.

Claim 8 (currently amended): A protective sleeve according to any of claims claim 1-to 7, wherein at least one of the sheets is manufactured from a transparent material.

A protective sleeve according to any of claims Claim 9 (currently amended): claim 1-to-8, wherein the sheets are provided with substantially rectangular dimensions and that the sheets are attached to respective adjacent sheets at both side edges.

Claim 10 (currently amended): A protective sleeve according to any of claims claim 1 to 9, wherein the protective sleeve is provided at at least one of the bottom the left side and the right side with a fastening strip.

Preliminary Amendment Entering National Stage Based on PCT/DK2005/000043

SUGHRUE MION, PLLC Ref: Q96046

Claim 11 (original): A protective sleeve according to claim 10, wherein the fastening strip is a key which is provided with a number of resilient barb-like projections.

Claim 12 (currently amended): A protective sleeve according to claim 10-or elaim 11, wherein the fastening strip is provided with a number of holes.

Claim 13 (currently amended): A protective sleeve according to any of claims claim 10 to 12, wherein a reinforcement strip is included along the fastening strip.

Claim 14 (currently amended): A protective sleeve according to claim 3-together with claim 13, wherein the fastening strip is provided at the bottom of the sleeve and bottom areas of the first and the second central sheet overlap the reinforcement strip.

Claim 15 (currently amended): A protective sleeve according to claim 13-or claim 14, wherein the reinforcement strip is made of a sheet material more rigid than the central sheets.

Claim 16. A protective sleeve according to any of claims claim 1 to 15, wherein the protective sleeve is adapted to contain a front cover, a compact disc and a back cover of an ordinary jewel-case in the front pocket, the central pocket and the back pocket, respectively.

Entering National Stage

Based on PCT/DK2005/000043

SUGHRUE MION, PLLC Ref: Q96046

Claim 17 (original): A flexible sleeve holder for holding sleeves of sheets of flexible

material, comprising a flat bottom element with two opposing large surfaces, a first surface of

said opposing surfaces carrying a plurality of parallel ribs each having two rib sides and forming

between them sleeve receiving slots, said ribs carrying on at least one rib side and in a distance

from the bottom element lateral projections, said projections leaving clearances in the slots.

Claim 18 (original): A holder according to claim 17 wherein said clearances are less

than 1.7 mm, preferably less than 1.2 mm and more preferably less than 1.0 mm.

Claim 19 (original): A holder according to claim 17, wherein said clearances are greater

0.4 mm, preferably greater than 0.6 mm.

Claim 20 (original): A holder according to claim 17, wherein the bottom element at a

second surface opposing said first surface is provided a mounting member.

Claim 21 (original): A holder according to claim 17, wherein said ribs are carrying

projection on both rib sides said projection being arranged two and two mutually opposed.

Claim 22 (original): A holder according to claim 17, wherein each rib side carries at

least two discrete projections.

Entering National Stage

Based on PCT/DK2005/000043

SUGHRUE MION, PLLC Ref: Q96046

Claim 23 (original): A holder according to claim 17, wherein said projections have

lower sides proximate to the bottom element and upper sides distal to the bottom element, the

upper sides of two projections mutually opposed in a slot being convergent in a direction towards

the bottom element, and the lower sides of two projections mutually opposed in a slot being

convergent in a direction away from the bottom element.

Claim 24 (original): A holder according to claim 17, wherein said projections have

lower sides proximate to the bottom element and upper sides distal to the bottom element, the

upper sides of two projections mutually opposed in a slot being convergent in a direction towards

the bottom element, and the lower sides of two projections mutually opposed in a slot being not

convergent in a direction away from the bottom element.

Claim 25 (original): A holder according to claim 17, wherein said slots are extending in

a longitudinal direction, each projection being elongate in the longitudinal direction and having

mutually opposed first and second ends the first ends being tapered the second ends being blunt.

Claim 26 (original): A holder according to claim 17, wherein the slots are open in one

end and closed in an opposite end.

Preliminary Amendment **Entering National Stage**

Based on PCT/DK2005/000043

SUGHRUE MION, PLLC Ref: Q96046

Claim 27 (original): A holder according to claim 26, wherein a movable bar is arranged

across the open ends of the slots.

Claim 28 (currently amended):

A holder according to any of claims claim 17 to 27,

wherein the ribs are elastically yieldable towards each other.

Claim 29 (original): An assembly comprising a sleeve of flexible sheet material and a

flexible sleeve holder therefore,

said sleeve comprising at least two layers of flexible sheet material interconnected to

provide a pocket between them, said sleeve having an edge and being provided with a fastening

strip along said edge, said fastening strip comprising a thickening strip and an engagement edge,

said holder comprising a flat bottom element with two opposing large surfaces, a first

surface of said opposing surfaces carrying a plurality of parallel ribs each having two rib sides

and forming between them sleeve receiving slots, said ribs carrying on at least one rib side and in

a distance from the bottom element lateral projections, said projections leaving clearances in the

slots,

said projections engaging said engagement edge to retain the sleeve releasably in the

holder.

Entering National Stage

Based on PCT/DK2005/000043

SUGHRUE MION, PLLC Ref: Q96046

Claim 30 (original): An assembly according to claim 29, wherein said engagement edge

is provided by a resilient barb-like projection on the fastening strip.

Claim 31 (original): An assembly according to claim 29, wherein said engagement edge

is an edge of an elongated hole in the sleeve through or adjacent the thickening strip, said

elongated hole extending along said edge of the sleeve.

Claim 32 (currently amended): An assembly according to any of claims claim 29 to

31, wherein the thickening strip is made of a sheet material more rigid that the any of the two

flexible sheets.

Claim 33 (original): An assembly according to claim 32, wherein the sheet material of

the thickening strip is at least twice as thick as any of the two flexible sheets.

Claim 34 (currently amended): 34. An assembly according to any of claims claim

29-to 33, wherein the sleeve along said edge comprise a reinforcement strip.

Claims 35 and 36:

(cancelled).